NEUATION



MORE THAN JUST
ANOTHER ROLLER

iRoll RnR 4

(Four Tube Roller)

NEUATION

iRoll RnR 4

(Four Tube Roller)

Tube rollers are meant to make your work in the lab easier, that's why they come with specifications that advertise high-performance and long durability to justify your investment. But the use of low-quality materials and components to cut production costs results in devices that are a let down in terms of their durability and longevity. Also, due to apparent design flaws, most of theses devices are large in size which is a big no-no as the space in your laboratory is already limited and these devices occupy a large space compared to their functionality.

With adequate research into user feedback and their tube rolling requirements, Neuation's R&D department helped integrate valuable insights into the design and development process of iRoll RnR4, resulting in a device which comes with a reliable and durable motor for years of maintenance-free longevity. Keeping in mind the space constraints faced by most users, the exceptional design of iRoll RnR4 manages to wrap incredible performance in a compact package for a wonderful user-experience.



Product Features

Effortless And Tool-free Removal/installation Of Rollers Convenient And Effortless Cleaning.

Easy Adjustable Roller Spacing To Hold Different Size Tubes And Bottles

Fixed Speed Of 30 RPM And Is Accurate Up To +/- 2 RPM.

Gentle Rolling Motion For Optimum Mixing Of Samples With A Tilt Angle Of 3°

Infinite Mode/continuous Mode Of Operation For Enhanced Convenience.

Ac Synchronous Motor Offers

Easy Loading Of Sample While Operational Run

Robust Construction For Stable Operation & Can Be Used In Conditions Upto 40° C And Humidity Upto 80%

Product Features

Compact Design
Makes For A
Small Footprint To Save
Valuable Bench Space.

IP21 Class Compliant
For Added Durability.

Specifications

Specifications	iRoll RnR 4
Capacity	9 x 3/4 ml tubes
Motor Type	AC Synchronous
Speed	30 RPM
Run Time	Continuous
Tilt angle	+/-3^0
Speed Accuracy	+/-2 RPM
Noise Level	Noiseless operation
Load Capacity	1.5 kg
Roller Size (mm)	320 (length) x 30 (roller dia) mm
Protection class	IP 21
Dimensions (W X D X H)	475 x 210 x 80 mm
Weight	2 kg

Ordering Information

iRoll RnR 4		
Product Name	**Cat #**	**Details**
iRoll RnR 4 (220V)	TR01-3102 EU/UK/AU	4 Tube Roller
iRoll RnR 4 (110V)	TR01-3101-US	4 Tube Roller

Accessories		
Part Name	**Cat #**	**Details**
Rollers	TR01 - R1	Extra Roller Attachment
Power Adaptor	TR01 - A1	-

NEUATION

www.accumaxlab.com

AN ISO 9001 : 2015 & ISO 13485 : 2016 CERTIFIED MFG. COMPANY

*We also execute OEM projects. Specifications can be changed without notice for quality improvement.